

Capsule/Tablet Polisher

Combo C-1/Combo T-1



Vertical Capsule Polisher with Metal Detector

Combo C-1 Capsule polisher has achieved functions of dust extraction, polish, elevation, rejection for all kinds of capsule types, dedusting powder of surface and improve the degree of finish, meanwhile 100% production without empty, crushed and weight less capsules. It can be connected with any model of capsule filling machine.

Metal detector and capsule polisher all-in-one machine. The conveying process completely enclosed to set up safe and hygienic environment, convenient to operation with integrated control system.




Features:

- Up to 600,000 capsules /hr.
- Rotary nylon brush, excellent polishing performance, high production efficiency.
- Inlet, outlet and brushes of main axle are detachable, easy to clean, meet the requirement of relevant laws and regulations.
- Parts in contact with medicine all made of 316L stainless steel.
- Install without tools and smart appearance.
- cGMP compliant
- Equip with variable frequency motor
- Equip with trundle to move
- Various Aperture size.



Dimensions:



Technical Specifications	Combo C-1
Capsule Model No.	00# 0# 1# 2# 3# 4#
Max Output Capacity (pcs/h)	600,000
Inlet Height (mm)	847
Outlet Height (mm)	741
Power Supply	1PH 220V/110V 50Hz/60Hz 0.035kw
Compressed Air	0.3m ³ /min 0.3Mpa
Vacuum	3.0m ³ /min -0.1Mpa
Dimension (mm)	1225×475×1405
Weight (kg)	125

Uphill Tablet Deduster with Metal Detector

Combo T-1 Uphill Tablet Deduster is a special equipment to wipe out burr and dust of tablet whilst going up way.

Metal detector and deduster all-in-one machine has creative structure ensure detection result. The conveying process completely enclosed to set up safe and hygeian environment, convenient to operation with integrated control system.



Metal Detector


Combo T-1

Features:

- Up to 460,000 tablets /hr.
- Production area and machinery area are completely separated to ensure products and machine without effect and safe.
- Install in five seconds without tools
- Low noisy, quick assembly and disassembly, easy clean and smart appearance.
- It adopts mirror polish stainless steel.
- Imported drive device with mute and steady.
- Parts in contact with medicine all made of 316L stainless steel and meet GMP demands.
- 360° circle adjustment of inlet and outlet to make production more convenient and save factory room.
- Height is adjustable, easy to move with lockable trundle
- cGMP compliant



Dimensions:



Technical Specifications	Combo T-1
Tablet Diameter (mm)	Ø3-Ø25
Max Output Capacity (tablets/h)	460,000
Inlet height (mm)	790-950
Outlet height (mm)	720-880
Dedusting Distance (m)	8.2
Power Supply	1PH 220V/110V 50Hz/60Hz 0.1kw
Compression Air	0.1 m ³ /min 0.05MPa
Vacuum	2.7 m ³ /min -0.1MPa
Dimension (mm)	1090 x 550 x(1230-1390)
Weight (kg)	125

Metal Detector



Type	Maximum scanning sensitivity (mm)			Maximum throughput (Pcs/h)
	Fe(mm)	SUS (mm)	NoFe (mm)	
T50/20	0.2	0.4	0.25	350 000
T68/18	0.2	0.4	0.25	460 000
T80/20	0.25	0.5	0.3	650 000

SaintyCo also offer:

Encapsulation Solutions

Tablet Compression Solutions

Coating Systems

Cartoning Systems

Blister Packing Solutions

