


SW-600

Sugar Sanding Drum



Sugar Sanding Drum



SW-600 Sugar Sanding Drum

The fully integrated Sugar Coater is an automatic system for the continuous controlled sugar coating of starch moulded jelly ,depositing mold jelly and gum based confectionery. Well-proven and dependable, the Sugar Coater produces up to 600 kg/hr to provide a perfect match for the modern of gummy production line .






“Your long lasting
sugaring starts
from here!”

Sugar Sanding Drum



Optional: Sugar Loader And Infeed Conveyor !

Features:

- The inner drum is manufactured from stainless steel with perforation for discharge and recycling of excess sugar into the outer drum
- Supplied with electrical control panel, to allow the operator to adjust the equipment
- Variable speed drive is provided
- Manufactured totally out of stainless steel 304
- Cleated conveyors to deliver product to coating system for operators
- The hopper with vibration and auger automatically delivers sugar to the coater.



Sugar Sanding Drum



Technical Data	SW-600
Capacity	500-600kgs/hour
Material	Stainless steel
Power	2.05Kw
Electrical	220/380V, 50/60Hz, 3 Phase
Dimensions	1930×1380×1500mm
Weight	Appr. 300kg

SaintyCo Also Offer:

- Gummy Counting Bottle Packing Solution
- Automatic Weighing Bottling Production Line
- Sugar sanding drum
- Gummy Coating Pan
- Gummy Molds
- Pouch Packaging Machine

For additional information, please drop E-mail to info@saintyco.com

