

PRIMAPress

Tablet Press





PRIMAPress ST15

PRIMAPress ST17

PRIMAPress ST20


PRIMAPress Tablet Press


The PRIMAPress Tablet Press is a reliable, versatile, single-sided tableting machine which has been developed for excellent overall equipment efficiency (OEE) and lowest total cost of ownership (TCO).



Feature:

- Siemens PLC&HMI
- Contact parts 316L
- Up to 95,000 Tablet/h
- Excellent performance with challenging high volume products such as Metformin and Amlodipin
- Quick product and format changes: tablet chute and fill shoe can be swung out - no tedious readjustments
- Few product contact parts: minimal cleaning effort
- Tool-less format change
- Optimal hygienic design
- Hermetical separation between compaction and service area
- Patented, closed punch bellows to prevent tablet contamination





Technical Data	PRIMAPress		
	ST15	ST17	ST20
Capacity (Tablets/h)	65,000	75,000	95,000
No.of station	15	17	20
Max.tablet diameter (mm)	25	16	13
Max.irregular long axis (mm)	25	18.5	16
Main.tablet diameter (KN)	80	80	80
Pre-pressure (KN)	16	16	16
Main.filling depth (mm)	20	16	16
Dia.of.die (mm)	38.1	30.16	24.01
Length of punch (mm)	133.5	133.5	133.5
Tablet thickness range (mm)	0.5-10	0.5-8	0.5-8
Total power (Kw)	4		
Weight (Kg)	675		
Dimensions (mm)	900×720×1500		



- ✓ The die goes up and down and the head is long and short
- ✓ The die can adjust the shape and dosage of the tablet



SaintyCo Also Offer:

- Fluid-Bed Processors
- High Shear Mixer Granulator
- Roller Compactor
- Blister Packing Solutions

For additional information, please drop e-mail to
info@saintyco.com

